

COVID-19 Vaccination: Evergreen offer and seasonal booster



North East London

Eligibility for seasonal booster:

| Eligible cohorts as recommended by JCVI | Vaccine type for seasonal booster according to age | Booking information |
|---|--|--|
| <ul style="list-style-type: none"> Any adult aged 50 years or over Individuals in a risk group: <ul style="list-style-type: none"> Clinical risk group (age 5 and above) Household contacts of people with immunosuppression (age 5 and above) Frontline health or social care workers (age 16 and above) Residents or staff in care homes for older adults Carers (age 16 and above) | 18 years or over Spikevax Bivalent (0.5mL) or Pfizer Bivalent (0.3mL) | Walk-in site: https://www.nhs.uk/service-search/find-a-walk-in-coronavirus-covid-19-vaccination-site |
| | 12 to 17 years Pfizer Bivalent (0.3mL) | |
| | 5 to 11 years (including 12 year olds in academic Year 7) Pfizer 10 Concentrate (0.2mL diluted dose) | Walk-in site with GP letter: https://www.nhs.uk/service-search/find-a-walk-in-coronavirus-covid-19-vaccination-site |

Evergreen offer - for individuals yet to complete their primary course:

If eligible for an autumn booster, move to seasonal booster table above after completing primary course

| Eligible cohort | Primary course - 2 doses* | Booster | Booking information |
|---|--|--|--|
| 5 ¹ – 11 years, or aged 12 in academic Year 7 | Pfizer 10 Concentrate (0.2mL diluted dose) Interval between 1 st and 2 nd dose or positive Covid-9 result is 12 weeks | A single booster 91 days after 2 nd dose | Not eligible unless identified as being in the high-risk group |
| 13 – 15 years, or aged 12 in academic Year 8 | Pfizer 30 Concentrate (0.3mL) Interval between 1 st and 2 nd dose or positive Covid-9 result is 12 weeks | | Not eligible unless identified as being in the high-risk group |
| 16 – 17 years | Pfizer 30 Concentrate (0.3mL) Interval between 1 st and 2 nd dose or positive Covid-9 result is 12 weeks | Pfizer Bivalent (0.3mL) | Walk-in site: https://www.nhs.uk/service-search/find-a-walk-in-coronavirus-covid-19-vaccination-site |
| 18 years or over | Pfizer 30 Concentrate or Spikevax | Spikevax Bivalent (0.5mL) or Pfizer Bivalent (0.3mL) | |
| ¹ For those not in a risk group, this one-off offer only applies to individuals who turned 5 by 31 August 2022 | | *Severely immunosuppressed at the time of 1 st or 2 nd primary dose: 2 primary doses PLUS 3 rd primary dose ideally 8 weeks after 2 nd dose | |

Additional information:

- If an eligible individual has not received a booster prior to September 2022, they may be given one in autumn, and no additional doses are then required
- For those aged 18 or over, OR aged 5 or over and are in a risk group, vaccination should ideally be deferred until 4 weeks after onset of COVID-19 symptoms/positive sample, and the interval between 1st and 2nd primary dose should be a minimum of 8 week
- For those aged 5-17 years and not in a risk group, both the interval between 1st and 2nd primary doses, and the ideal deferral period following COVID-19 infection, is a minimum of 12 weeks